Ref #	Hits	Search Query	DBs .	Default Operator	Plurals	Time Stamp
L1	10228	(device\$1 near5 language) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 13:40
L2		((device\$1 near5 language) near into ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/12 13:40
L3	273	((device\$1 near5 language) near (format\$3 or transform\$3 or chang\$3 or encod\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 13:41
S1	1616172	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 09:46
S2	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
S3	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
S4	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
S5	5	"622047".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45

			Τ	T		
S6		(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/27 10:23
S7	2497084	L and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:23
S8	9	S6 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:57
S9	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/06/22 13:39
S10	375	S9 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/22 14:25
S11	9	S10 and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:26
S12	51	S10 and render\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:27
S13	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:27

S14	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/01/27 11:27
	·		DERWENT; IBM_TDB			·
S15	6	"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S16	. 7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S17	5	"234044".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S18	3	"6560651".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:29
S19	5	"989255".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:30
S20	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:31
S21	5	"331619".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32

S22	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S23	646	iyengar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
524	35	S23 and "709"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33
S25	32	S24 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33
S26	0	S25 and mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2006/01/27 11:33
S28	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 13:55
S29	375	S28 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 13:56
\$30	116	S29 and (channel\$1 or paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF · .	2006/01/31 16:43

S31	17	(abstract near2 (mark?up or	US-PGPUB;	OR	OFF	2006/01/31 15:32
		markup)) near2 language	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S32	5	"165887".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 15:28
S33	5	(abstract adj (markup or mark?up)) adj language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
S34	103	leamon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
S35	0	S34 and "0107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:57
S36	7	"068236".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
537	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
S38	27	S30 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45

S39	15901	mobile adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S40	20909	mobile adj device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S41	13094	S40 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:46
S42	838	S41 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:46
S43	624	S42 and (convert or conversion or convert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:10
S44	. 65	S43 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF '	2006/01/31 16:53
S45	6	"929118".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:54
S46	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:01

				,		···
S47		"885465".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:03
S48	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
S49	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
S50	. 0	"013718.ap"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S51	0	"013718.ap."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S52		"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S53	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:06
S54	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:06

						0
S55		"165887".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 17:08
S56	0	"750302.ap.",	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:08
S57	7	"750302".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:09
S58	5	"989255".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 17:09
S59	624	S43 and (mobile adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S60	624	S59 and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/31 17:11
S61	546	S60 and (path\$1 or channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12
S62	357	S61 and language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12

S63	6	"609112".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:00
S64	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:03
S65	2	"20050015406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:04
S66	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/06/22 13:40
S67		S66 and (devide near4 (associated or specific))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S68	6	"2002010789"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S69	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF <sub>.</sub>	2006/06/22 13:57
S70	383	S66 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 14:26

		· · · · · · · · · · · · · · · · · · ·				<del></del>
S71	2	S70 and (device-specific or device?specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 14:27
S72	182	S70 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/22 14:27
S73	55	S70 and ((format or format\$4) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S74	1	"20050015406" and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 17:57
S75	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S76	383	S75 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S77	182	S76 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S78	49	S77 and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00

S79	0	"20020107891" and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S80	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
S81	19	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:45
S82	6	S81 and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S83	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S84	0	"20020107891" and run	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S85		"20020107891" and runtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S86	2	"20020161928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR · ·	OFF	2006/10/02 12:13

S87	0	"20020161928" and ( runtime or	US-PGPUB;	OR ·	OFF	2006/10/02 12:13
		run?time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S88	620	(convert\$5 near3 ((mobile or handheld or pda) near2 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S89	388	S88 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S90	23	S89 and (runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S91	23	S89 and (runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:20
S92	4	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:20
S93	0	((device near5 (mark?up or markup) near5 language) with generia with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/12 13:39
S94	0	((device near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:41

S95	0	((device\$8 near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:41
S96	0	((device\$8 near5 (mark?up or markup) near5 language) same (generic with (aggregat\$3 or combin\$3)) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:44
S97	278	(((mark?up or markup) near5 language\$1) with (aggregat\$3 or combin\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S98	3	"2002017811"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S99	2	"20020178211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S10 0	40	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 09:54
S10 1	2	"20040243928" and (device or generic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:05
S10 2	0	S100 and (((device?specific ) or generic) near (markup or mark?up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:06

7/12/2007 1:42:50 PM C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-622-035\_\_1.wsp Page 13